
 [WWW.ACTIONHOSESUPPLY.COM](http://WWW.ACTIONHOSESUPPLY.COM)

 [GENE@ACTIONHOSESUPPLY.COM](mailto:GENE@ACTIONHOSESUPPLY.COM)

# ORDER ONLINE

[WWW.ACTIONHOSESUPPLY.COM](http://WWW.ACTIONHOSESUPPLY.COM)



# (936) 372-8101

**CALL OUR EXPERTS WHO WILL HELP  
YOU GET THE FITTINGS YOU NEED.**

# ACTION HOSE AND FITTINGS CATALOG

<b>Hose and Fitting Kits</b> .....	2
<b>Hoses (sold per FT)</b> .....	4
<b>Camlock Fittings</b> .....	6
Aluminum Camlock Fittings .....	6
Aluminum Camlock Reducers .....	11
Plastic Camlock Fittings .....	14
Brass Camlock Fittings .....	19
Stainless Steel Camlock Fittings .....	24
<b>Camlock Accessories</b> .....	29
<b>Air Compressor Fittings</b> .....	35
<b>Air Compressor Accessories</b> .....	37

# HOSE AND FITTING KITS

Select from our preassembled hose and fitting kits. We build the kits to your specifications. We offer [suction hose kits](#) and [lay flat discharge hose kits](#) from 20 to 200 feet long with diameter sizes of 1.5 - 6 inches wide. These kits are ready for you to quickly attach to your trash or water pump and get the job done. We carry a 3/4" x 50' [air compressor hose and fittings kit](#) that's ready to quick connect to your air tools at the lowest price you will find online!

(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM

1.5" X 50'



## TRASH AND WATER PUMP SUCTION HOSE AND CAMLOCK FITTINGS KIT

### □ SPECS:

- 1 Part C Aluminum Camlock Style & 1 KC Fitting
- Select diameter and length below

[Order Now](#)

Price: \$61.27 – \$511.57

Trash and Water Pump Intake Suction Hose & Camlock Fittings Kit



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM

4" X 50'



Trash and Water Pump Intake Suction Hose & Camlock Fittings Kit



3" X 50'



Trash and Water Pump Intake Suction Hose & Camlock Fittings Kit



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM

2" X 50'



## LAY FLAT DISCHARGE HOSE AND CAMLOCK COUPLINGS KIT- BLUE

### □ SPECS:

- 1 Part C Aluminum Camlock & 1 Part E Camlock
- Select diameter and length below

[Order Now](#)

**Price:** \$50.54 – \$657.88

Blue Lay Flat Discharge Hose and Camlock Couplings Kit 

(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM

2" X 50'



Blue Lay Flat Discharge Hose and Camlock Couplings Kit 

(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



## AIR COMPRESSOR HOSE & CHICAGO STYLE CROWFOOT FITTINGS KIT

3/4" x 50' Air Hose & Crowfoot Couplings

[Add to Cart](#)

[Order Now](#)

**Price:** \$83.14

Air Compressor Hose Kit - 3/4" x 50' Air Hose & Crowfoot Couplings 

(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



Air Compressor Hose Kit - 3/4" x 50' Air Hose & Crowfoot Couplings 



# HOSES (SOLD PER FT)

(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



## PVC LAY FLAT DISCHARGE HOSE - BLUE

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$0.83 – \$4.82

Blue Lay Flat Discharge Hose -  
sold per FT



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



Blue Lay Flat Discharge Hose -  
sold per FT



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



## PVC WATER PUMP SUCTION HOSE - GREEN

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$1.87 – \$16.03

Green PVC Water Pump  
Suction Hose - sold per  
FT



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENERATIONHOSESUPPLY.COM



**Green PVC Water Pump  
Suction Hose - sold per  
FT**



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENERATIONHOSESUPPLY.COM



**3/4" 300 PSI Air Compressor Hose  
sold per FT**



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENERATIONHOSESUPPLY.COM

## 3/4" RUBBER AIR COMPRESSOR HOSE - 300 PSI

[Home](#) | [Air Hose Accessories](#) | Air Compressor Hose

### ▣ SPECS:

- Hose Size (diameter) - 3/4 inches
- Maximum Pressure - 300 PSI
- Material Tube: EPDM synthetic rubber, RMA Class C
- Material Cover - Red PVC synthetic rubber
- Enter the total footage you need below as the "quantity".

[Add to Cart](#)

[Order Now](#)

**Price:** \$1.49



**3/4" 300 PSI Air Compressor Hose  
sold per FT**



# CAMLOCK FITTINGS

We carry universal camlock fittings in aluminum, polypropylene (plastic), stainless steel and brass.

## ALUMINUM CAMLOCK FITTINGS

The aluminum camlocks we offer are available in sizes 1.5", 2", 3", 4" and 6". We carry aluminum camlock coupling types A, B, C, D, DC, DP, E and F. Please [contact us](#) if you need a different size. The body of these cam and groove fittings are made of aluminum material. Aluminum camlock fittings are lightweight, corrosion resistant and anti-abrasion.



### TYPE A - ALUMINUM MALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type A Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Male Camlock x Female NPT
- Fastening Type: A
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$3.79 – \$28.42



## TYPE B - ALUMINUM FEMALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type B Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Female Camlock x Male NPT
- Fastening Type: Type B
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$9.78 – \$52.67



## TYPE C - ALUMINUM FEMALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type C Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Female Camlock x Hose Shank
- Fastening Type: C
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$7.73 – \$71.29





## TYPE D - ALUMINUM FEMALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type D Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Female Camlock x Female NPT
- Fastening Type: Type D
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$4.59 – \$56.92



## TYPE DC - ALUMINUM FEMALE CAMLOCK DUST CAP

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type DC Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Female Dust Cap x Male Camlock
- Fastening Type: DC
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$9.13 – \$56.00



## TYPE DP - ALUMINUM MALE CAMLOCK DUST PLUG

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type DP Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Male Dust Plug x Female Camlock
- Max pressure: 250 PSI
- Fastening Type: DP
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$3.55 – \$27.05



## TYPE E - ALUMINUM MALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type E Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Male Camlock x Hose Shank
- Fastening Type: E
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$5.32 – \$55.90



## TYPE F - ALUMINUM MALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Aluminum](#) > Type F Aluminum Camlock Fitting

□ SPECS:

- Material: Aluminum
- Style: Male Camlock X Male NPT
- Fastening Type: Type F
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$5.83 – \$39.13

# ALUMINUM CAMLOCK REDUCERS

Aluminum reducers allow you to connect hoses of two different sizes together easily and securely. We have many sizes for your specific needs.



## TYPE AR - ALUMINUM CAMLOCK REDUCER FITTINGS

[Home](#) > [Camlock Fittings](#) > [Reducers](#) > Type AR Camlock Reducer

□ SPECS:

- Material: Aluminum
- Style: Male Camlock X Female NPT
- Fastening Type: AR
- Connector Type: Reducer
- Max Pressure: 250 PSI
- Camlock Reducer Sizes: Select size below

[Order Now](#)

**Price:** \$10.84 – \$44.88



## TYPE BR - ALUMINUM CAMLOCK REDUCER FITTINGS

[Home](#) > [Camlock Couplings](#) > [Camlock Reducers](#) > Type BR Reducer

□ SPECS:

- Material: Aluminum
- Style: Female Camlock X Male NPT
- Fastening Type: BR
- Connector Type: Reducer
- Max Pressure: 250 PSI
- Camlock Reducer Sizes: Select size below

[Order Now](#)

**Price:** \$17.16 – \$24.40





## TYPE CR - ALUMINUM CAMLOCK REDUCER TO HOSE SHANK

[Home](#) > [Camlocks](#) > [Camlock Reducer Adapters](#) > Type CR Reducer  
□ SPECS:

- Material: Aluminum
- Style: Female Camlock X Hose Shank
- Fastening Type: CR
- Connector Type: Reducer
- Max Pressure: 250 PSI
- Camlock Reducer Sizes: Select size below

[Order Now](#)

**Price:** \$13.56 – \$19.00



## TYPE DR - ALUMINUM CAMLOCK REDUCER FITTINGS

[Home](#) > [Cam and Groove](#) > [Reducers](#) > Type DR 2 to 1.5 Reducer  
□ SPECS:

- Material: Aluminum
- Style: Female Camlock X Female NPT
- Fastening Type: DR
- Connector Type: Reducer
- Max Pressure: 250 PSI
- Camlock Reducer Sizes: Select size below

[Add to Cart](#)

[Order Now](#)

**Price:** \$15.71



## TYPE ER - ALUMINUM CAMLOCK REDUCER TO HOSE SHANK

[Home](#) > [Cam and Groove Fittings](#) > [Reducers](#) > Type ER Camlock Reducer

□ SPECS:

- Material: Aluminum
- Style: Male Camlock X Hose Shank
- Fastening Type: ER
- Connector Type: Reducer
- Max Pressure: 250 PSI
- Camlock Reducer Sizes: Select size below

[Add to Cart](#)

[Order Now](#)

**Price:** \$12.97



## TYPE FR - ALUMINUM CAMLOCK REDUCER FITTINGS

[Home](#) > [Camlocks](#) > [Camlock Reducers](#) > Type FR Camlock Reducer

□ SPECS:

- Material: Aluminum
- Style: Male Camlock X Male NPT
- Fastening Type: FR
- Connector Type: Reducer
- Max Pressure: 250 PSI
- Camlock Reducer Sizes: Select size below

[Order Now](#)

**Price:** \$20.21 – \$27.42

# PLASTIC CAMLOCK FITTINGS

The polypropylene (plastic) fittings we offer are available from sizes 1.5" to 4". We carry types A, B, C, D, DC, DP, E and F.

Please [contact us](#) if you need a different size. The body of these cam and groove fittings are made of polypropylene.

Plastic camlock fittings are lightweight, corrosion resistant and anti-abrasion.



## TYPE A - POLYPROPYLENE MALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type A Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Male Camlock x Female NPT
- Fastening Type: A
- Max pressure: 100 PSI
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$1.44 – \$8.60



## TYPE B - POLYPROPYLENE FEMALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type B Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Male Camlock x Female NPT
- Fastening Type: B
- Max pressure: 100 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$8.00 – \$23.44



## TYPE C - POLYPROPYLENE FEMALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type C Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Female Camlock x Hose Shank
- Fastening Type: C
- Max pressure: 100 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$8.21 – \$25.13





## TYPE D - POLYPROPYLENE FEMALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type D Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Female Camlock x Female NPT
- Fastening Type: D
- Max pressure: 100 PSI
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$8.17 – \$24.42



## TYPE DC - POLYPROPYLENE FEMALE CAMLOCK DUST CAP

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type DC Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Female Dust Cap X Male Camlock
- Fastening Type: DC
- Max pressure: 100 Max
- Connector Type: Coupler

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$7.97 – \$22.99



## TYPE DP - POLYPROPYLENE MALE CAMLOCK DUST PLUG

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type DP Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Male Dust Plug X Female Camlock
- Fastening Type: DP
- Max pressure: No Max
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$1.09 – \$6.80



## TYPE E - POLYPROPYLENE MALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type E Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Male Camlock x Hose Shank
- Fastening Type: E
- Max pressure: 100 PSI
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$1.51 – \$23.29



## TYPE F - POLYPROPYLENE MALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Polypropylene](#) > Type F Poly Camlock Fitting

□ SPECS:

- Material: Polypropylene (Plastic)
- Style: Male Camlock x Male NPT
- Fastening Type: F
- Max pressure: 125 PSI
- Connector Type: Adapter

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$1.48 – \$9.77

# BRASS CAMLOCK FITTINGS

The brass camlocks we offer are available in sizes 0.5", 0.75", 1", 1.25", 1.5", 2", 2.5", 3", 4" currently. Please [contact us](#) if you need a different size. We carry brass camlock coupling types A, B, C, D, DC, DP, E and F. The body of these cam and groove fittings are made of brass material. Brass camlock fittings are heavy duty, do not rust, corrosion resistant and anti-abrasion.



## TYPE A - BRASS MALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Brass](#) > Type A Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Male Camlock x Female NPT
- Fastening Type: A
- Max pressure: 100 PSI
- Connector Type: Adapter

Available Sizes

1/2 inch, 3/4 inch, 1 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$6.73 – \$54.97





## TYPE B - BRASS FEMALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Brass](#) > Type B Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Female Camlock x Male NPT
- Fastening Type: B
- Max pressure: 100 PSI
- Connector Type: Coupler

Available Sizes

1/2 inch, 3/4 inch, 1 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$7.57 – \$70.66



## TYPE C - BRASS FEMALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Brass](#) > Type C Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Female Camlock x Hose Shank
- Fastening Type: C
- Max pressure: 100 PSI
- Connector Type: Coupler

Available Sizes

1/2 inch, 3/4 inch, 1 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$10.81 – \$92.42



## TYPE D - BRASS FEMALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Brass](#) > Type D Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Female Camlock x Female NPT
- Fastening Type: D
- Max pressure: 100 PSI
- Connector Type: Coupler

Available Sizes

1/2 inch, 3/4 inch, 1 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$10.34 – \$72.88



## TYPE DC - BRASS FEMALE CAMLOCK DUST CAP

[Home](#) > [Camlocks](#) > [Brass](#) > Type DC Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Female Dust Cap X Male Camlock
- Fastening Type: DC
- Max pressure: 100 Max
- Connector Type: Coupler

Available Sizes

3/4 inch, 1 1/4 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$9.06 – \$61.78



## TYPE DP - BRASS MALE CAMLOCK DUST PLUG

[Home](#) > [Camlocks](#) > [Brass](#) > Type DP Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Male Dust Plug X Female Camlock
- Fastening Type: DP
- Max pressure: No Max
- Connector Type: Adapter

Available Sizes

1 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$5.69 – \$46.06



## TYPE E - BRASS MALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Brass](#) > Type E Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Male Camlock x Hose Shank
- Fastening Type: E
- Max pressure: 100 PSI
- Connector Type: Adapter

Available Sizes

1/2 inch, 3/4 inch, 1 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$6.76 – \$86.02

## TYPE F - BRASS MALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Brass](#) > Type F Brass Camlock Fitting

□ SPECS:

- Material: Brass
- Style: Male Camlock x Male NPT
- Fastening Type: F
- Max pressure: 125 PSI
- Connector Type: Adapter

Available Sizes

1/2 inch, 3/4 inch, 1 1/4 inch, 1 1/2 inch, 2 inch, 2 1/2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$6.37 – \$68.78



# STAINLESS STEEL CAMLOCK FITTINGS

The stainless steel camlocks we offer are available in sizes 2" and 3" currently, please [contact us](#) if you need a different size. We carry SS camlock coupling types A, B, C, D, DC, DP, E and F. The body of these cam and groove fittings are made of stainless steel material. SS camlock fittings are heavy duty, do not rust, corrosion resistant and anti-abrasion.



## TYPE A - STAINLESS STEEL MALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type A Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Male Camlock x Female NPT
- Fastening Type: A
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$20.98 – \$44.52





## TYPE B - STAINLESS STEEL FEMALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type B Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Female Camlock x Male NPT
- Fastening Type: B
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$24.87 – \$54.80



## TYPE C - STAINLESS STEEL FEMALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type C Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Female Camlock x Hose Shank
- Fastening Type: C
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$33.72 – \$65.22



## TYPE D - STAINLESS STEEL FEMALE CAMLOCK X FEMALE NPT

[Home](#) > [Camlocks](#) > Stainless Steel > Type D Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Female Camlock x Female NPT
- Fastening Type: D
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$30.24 – \$79.92



## TYPE DC - STAINLESS STEEL FEMALE CAMLOCK DUST CAP

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type DC Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Female Dust Cap x Male Camlock
- Fastening Type: DC
- Max pressure: 250 PSI
- Connector Type: Coupler

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$25.42 – \$43.40



## TYPE E - STAINLESS STEEL MALE CAMLOCK X HOSE SHANK

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type E Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Male Camlock x Hose Shank
- Fastening Type: E
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$29.60 – \$57.70



## TYPE F - STAINLESS STEEL MALE CAMLOCK X MALE NPT

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type F Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Male Camlock x Male NPT
- Fastening Type: F
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$21.44 – \$52.45



## TYPE DP - STAINLESS STEEL MALE CAMLOCK DUST PLUG

[Home](#) > [Camlocks](#) > [Stainless Steel](#) > Type DP Stainless Steel Camlock Fitting

□ SPECS:

- Material: Stainless Steel
- Style: Male Dust Plug x Female Camlock
- Fastening Type: DP
- Max pressure: 250 PSI
- Connector Type: Adapter

Available Sizes

1 inch, 1 1/2 inch, 2 inch, 3 inch, 4 inch

[Order Now](#)

**Price:** \$17.71 – \$30.74



# CAMLOCK ACCESSORIES

Clamps, replacement arms, trash and water basket strainers, hose menders and everything else you need to build your hose and fitting kits.

## REPLACEMENT CAMLOCK ARMS

[Home](#) > [Camlocks](#) > [Accessories](#) > Replacement Camlock Arms

Available Sizes

2 inch, 3 inch, 6 inch

[Order Now](#)

**Price:** \$5.30 – \$8.10



## REPLACEMENT NITRILE RUBBER GASKETS

[Home](#) > [Camlocks](#) > [Accessories](#) > Gaskets

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$0.84 – \$2.28





## GALVANIZED STEEL PREFORMED CENTER PUNCH CLAMPS

[Home](#) > [Camlocks](#) > [Accessories](#) > Clamps

□ SPECS:

- Material: Stainless Steel
- Opening- 1"-7"

[Order Now](#)

**Price:** \$0.52 – \$2.56



## CLAMP BANDING HAND TOOLS

[Home](#) > [Camlocks](#) > [Accessories](#) > Clamp Tools


□ SPECS:

- Hand Tool for Application of 5/8" Steel Clamps

[Add to Cart](#)

[Order Now](#)

**Price:** \$166.32



## WHIP CHECK SAFETY CABLES

[Home](#) > [Camlocks](#) > [Accessories](#) > Safety Cables

Whip Checks act to control whipping in the event of a failure. Spring-loaded loops in the cable ends open easily to pass over the couplings, for a firm grip on the hose.

[Order Now](#)

**Price:** \$0.85 – \$1.96



## PLATED STEEL WORM DRIVE HOSE CLAMPS

[Home](#) > [Camlocks](#) > [Accessories](#) > Hose Clamps

Perforated

[Order Now](#)

**Price:** \$0.42 – \$1.14



## SAFETY LOCKPIN CLIPS (HITCH CLIPS)

[Home](#) > [Camlocks](#) > [Accessories](#) > Hitch Clips

[Add to Cart](#)

[Order Now](#)

**Price:** \$0.18



## FIRE HOSE DISCHARGE COUPLING WITH BRASS NUT

Available Sizes

2 inch, 2 1/2 inch, 3 inch

[Order Now](#)

**Price:** \$12.36 – \$23.59



## CAMLOCK REPAIR COUPLING - HOSE MENDER

[Home](#) > [Camlocks](#) > [Accessories](#) > Hose Mender

Fix broken or punctured hose with our dual steel coupling hose mender.

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$5.30 – \$54.28



## KING COMBINATION (KC) NIPPLE FITTING

Hose Shank X Male NPT thread

Stainless steel

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$5.30 – \$54.28





## WATER PUMP SUCTION HOSE BASKET STRAINER

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$14.92 – \$71.89



## TRASH PUMP SUCTION HOSE BASKET STRAINER

Available Sizes

1 1/2 inch, 2 inch, 3 inch, 4 inch, 6 inch

[Order Now](#)

**Price:** \$14.92 – \$71.81



# AIR COMPRESSOR FITTINGS

We carry quick connect crowfoot fittings in [female NPT](#), [male NPT](#) and hose shank "[chicago style](#)". We sell [300PSI hose per foot](#) and all the accessories you need for your air compressor tools. We also have a preassembled [3/4" x 50' air compressor kit](#) which is ready to go for you.



## CARBON STEEL CHICAGO HOSE COUPLING

[Home](#) > [Crowsfoot Fittings](#) > Barbed Crowsfoot Chicago Coupling

### □ SPECS:

- Material: Carbon Steel
- Style: 3/4" (2-lug) Hose End Barbed
- Connector Type: Coupling
- Max Pressure: 150 PSI
- **Never use Crowfoot couplings for steam service**

Available Sizes

3/4 inch, 2 inch

[Order Now](#)

**Price:** \$4.68 – \$17.86



## FEMALE NPT CROWFOOT FITTING | CHICAGO-STYLE UNIVERSAL HOSE COUPLING

[Home](#) > [Chicago Fittings](#) > Female NPT Crows foot quick connect

### □ SPECS:

- Material: Carbon Steel
- Style: 3/4" (2-lug) , 2" (4-lug) Female Coupling
- Connector Type: Coupling
- Max Pressure: 150 PSI
- **Never use Crowfoot couplings for steam service**

Available Sizes

3/4 inch, 2 inch

[Order Now](#)

**Price:** \$3.84 – \$12.16



## MALE NPT CROWFOOT FITTING | CHICAGO-STYLE UNIVERSAL HOSE COUPLING

[Home](#) > [Crowfoot Fittings](#) > Male NPT Crowfoot

### □ SPECS:

- Material: Carbon Steel
- Style: 3/4" (2-lug) , 2" (4-lug) Male Coupling
- Connector Type: Quick Connect Coupling
- Max Pressure: 150 PSI
- **Never use Crowfoot couplings for steam service**
- Male National Pipe Thread (NPT)

Available Sizes

3/4 inch, 2 inch

[Order Now](#)

**Price:** \$4.60 – \$20.50



## STAINLESS STEEL 3/4" CHICAGO HOSE COUPLING

[Home](#) > [Crowfoot Fittings](#) > Universal Chicago Hose Coupling

### □ SPECS:

- Material: Stainless Steel
- Style: 3/4" (2-lug) Hose End Barbed
- Connector Type: Coupling
- Max Pressure: 150 PSI
- **Never use Crowfoot couplings for steam service**

[Add to Cart](#)

[Order Now](#)

**Price:** \$21.97

# AIR COMPRESSOR ACCESSORIES

## GALVANIZED STEEL PREFORMED CENTER PUNCH CLAMPS

[Home](#) > [Camlocks](#) > [Accessories](#) > Clamps

□ SPECS:

- Material: Stainless Steel
- Opening- 1"-7"

[Order Now](#)

**Price:** \$0.52 – \$2.56



## CLAMP BANDING HAND TOOLS

[Home](#) > [Camlocks](#) > [Accessories](#) > Clamp Tools

□ SPECS:

- Hand Tool for Application of 5/8" Steel Clamps

[Add to Cart](#)

[Order Now](#)

**Price:** \$166.32



## REPLACEMENT NITRILE RUBBER GASKETS | UNIVERSAL CROWFOOT COUPLINGS

[Home](#) > [Air Hose Accessories](#) > Rubber Air Hose Gasket

### ▣ SPECS:

- Fits Chicago-Style Universal Hose Couplings

Available Sizes

3/4 inch, 2 inch

[Order Now](#)

**Price:** \$0.44 – \$0.98



## PLATED STEEL WORM DRIVE HOSE CLAMPS

[Home](#) > [Camlocks](#) > [Accessories](#) > Hose Clamps

Perforated

[Order Now](#)

**Price:** \$0.42 – \$1.14



## SAFETY LOCKPIN CLIPS (HITCH CLIPS)

[Home](#) > [Camlocks](#) > [Accessories](#) > Hitch Clips

Add to Cart

[Order Now](#)

Price: \$0.18



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



## 3/4" RUBBER AIR COMPRESSOR HOSE - 300 PSI

[Home](#) | [Air Hose Accessories](#) | Air Compressor Hose

### □ SPECS:

- Hose Size (diameter) - 3/4 inches
- Maximum Pressure - 300 PSI
- Material Tube: EPDM synthetic rubber, RMA Class C
- Material Cover - Red PVC synthetic rubber
- Enter the total footage you need below as the "quantity".

Add to Cart

[Order Now](#)

Price: \$1.49

3/4" 300 PSI Air Compressor Hose  
sold per FT



(936)372-8101 WWW.ACTIONHOSESUPPLY.COM GENE@ACTIONHOSESUPPLY.COM



3/4" 300 PSI Air Compressor Hose  
sold per FT









**ORDER ONLINE**

**[WWW.ACTIONHOSESUPPLY.COM](http://WWW.ACTIONHOSESUPPLY.COM)**



**OR CALL TO PLACE AN ORDER**

**(936) 372-8101**

**ONE OF OUR EXPERTS WILL HELP  
YOU GET THE TOOLS YOU NEED.**